


Oil Pattern Distance	42	Reverse Brush Drop	35	Oil Per Board	Multi ul
Forward Oil Total	14.35 mL	Reverse Oil Total	10.75 mL	Volume Oil Total	25.1 mL
Tank Configuration	A Only	Tank A Conditioner	Ininity	Tank B Conditioner	Infinity

	START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	3	50	14	A	111	0.0	3.9	3.9	5550
2	9L	9R	2	50	18	A	46	3.9	9.0	5.1	2300
3	11L	11R	2	50	18	A	38	9.0	14.1	5.1	1900
4	12L	12R	2	50	22	A	34	14.1	20.3	6.2	1700
5	13L	13R	3	50	22	A	45	20.3	29.6	9.3	2250
6	14L	14R	1	50	26	A	13	29.6	33.2	3.6	650
7	2L	2R	0	50	26	A	0	33.2	42.0	8.8	0

	START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	26	A	0	42.0	35.0	-7.0	0
2	14L	14R	2	50	26	A	26	35.0	27.7	-7.3	1300
3	13L	13R	2	50	22	A	30	27.7	21.5	-6.2	1500
4	12L	12R	2	50	22	A	34	21.5	15.3	-6.2	1700
5	10L	10R	2	50	18	A	42	15.3	10.2	-5.1	2100
6	9L	9R	2	50	14	A	46	10.2	6.3	-3.9	2300
7	2L	2R	1	50	10	A	37	6.3	4.9	-1.4	1850
8	2L	2R	0	50	10	A	0	4.9	0.0	-4.9	0

Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	6	2.4	1.03	1.03	2.4	6

