

2016 ESBC



Oil Pattern Distance: 41 Feet **Reverse Brush Drop:** 33 Feet **Oil Per Board:** 50 uL
Forward Oil Total: 15.55 mL **Reverse Oil Total:** 9.45 mL **Volume Oil Total:** 25 mL
Forward Boards Crossed: 311 Boards **Reverse Boards Crossed:** 189 Boards **Total Boards Crossed:** 500 Boards

	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	4	14	148	0.0	5.9	5.9	7400
2	9L	8R	2	18	48	5.9	11.0	5.1	2400
3	11L	9R	3	18	63	11.0	18.6	7.6	3150
4	12L	11R	2	18	36	18.6	23.7	5.1	1800
5	13L	12R	1	18	16	23.7	26.2	2.5	800
6	2L	2R	0	22	0	26.2	34.0	7.8	0
7	2L	2R	0	30	0	34.0	41.0	7.0	0

◀ ▶ ▶▶ ▶▶▶ Forward Reverse More


	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	30	0	41.0	32.0	-9.0	0
2	12L	11R	1	22	18	32.0	28.9	-3.1	900
3	11L	10R	2	22	40	28.9	22.7	-6.2	2000
4	10L	10R	1	22	21	22.7	19.6	-3.1	1050
5	9L	9R	1	22	23	19.6	16.5	-3.1	1150
6	8L	8R	2	18	50	16.5	11.4	-5.1	2500
7	2L	2R	1	18	37	11.4	8.9	-2.5	1850
8	2L	2R	0	18	0	8.9	0.0	-8.9	0

◀ ▶ ▶▶ ▶▶▶ Forward Reverse More

Conditioner:

TransferType:
Transfer Brush

- Forward
- Reverse
- Combined
- Buff



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	4	1.59	1	1	1.3	4

